8600125

THE DVINED SHATES OF WALESTON

TO ALL TO WHOM THESE PRESENTS SHALL COME;

Pioneer Hi-Bred International, Inc.

Wilhereas, There has been presented to the

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED NOVEL VARIETY OF SEXUALLY REPRODUCED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF eighteen verses from the date of this grant, subject to the payment of the required fees and periodic replenishment of viable basic seed of the variety in a public repository as provided by LAW, the right to exclude others from selling the variety, or offering it for sale, or reproducing it, importing it, or exporting it, or using it in producing a hybrid or different ety therefrom, to the extent provided by the Plant Variety Protection Act T. 1542, AS AMENDED, 7 U.S.C. 2321 ET SEQ.)

SOYBEAN

193611

In Testimony Whereof, I have hereunto set my hand and caused the seal of the Plant Bariety Protection Office to be affixed at the City of Washington, D.C. this 27th day of February in the year of our Lord one thousand nine hundred and eighty-seven.

Jula J. E. Lyng Georgian of Agriculture

Attest

Kenneth HEvan

Plant Variety Protection Office Agricultural Marketing Service

FORM WA-470 (7-84) (Edition of 3-84 is obsolete.)

Attachment: 9361 Soybean (April, 1986)

Variety 9361 evolved from the cross of Essex X L69-4143. It is an F6-derived variety which was advanced to the F6 generation by modified single-seed descent. The F7 progeny row of 9361 was grown in Illinois during the summer of 1979. Subsequently, 9361 has undergone six years of extensive testing and purification, and has been observed by the breeder to be uniform and stable for all plant traits from generation to

generation with no evidence of variants.

Seed hila of 9361 are light black in color, and under certain environmental conditions may appear imperfect black or gray in color. When seeds of these types are planted, they produce plants having seeds with light black hila color.

Five acres of 9361 (breeder's seed) were grown in 1984. 106 acres of parent seedstock (foundation seed equivalent) were grown in 1985.

- Exhibit B: Variety 9361 is most similar to variety 3981. However, 9361 is significantly earlier than 3981 by almost 3 days (see Table 1).
- Exhibit E: Pioneer Hi-Bred International, Inc. is the sole, original, and first breeder of '9361' variety of soybeans for which it solicits a certificate of protection.

Table 1. Paired Comparison (Days to Maturity) 1983-85

YR/EXP/LOC#	9361(X ₁)	3981(X ₂)	x ₂ -x ₁	$(x_2-x_1)^2$
83/CFA3/03	121	122	1	1
33/NPA3/46	129	133	4	16
33/NPA3/48	133	139	6	36
33/SJA3/38	101	106	5	25
3/SJA3/39	100 100	104 103	5 4 3	16 9
3/SJA3/40	100			
4/CFA3/03	100	104	4 5	16
4/CFA3/04	101	106	5	2.5
4/NPA3/46	102	105	3 2	9
4/NPA3/48	102	104	2	4
4/MLA3/29	98	102	4	16
4/SJA3/31	99	103	4	16
4/SJA3/38	99	104	5	25
4/SJA3/39	100	102	. 2	4
4/SJA3/40 4/SJA3/41	99 101	104 104	4 5 2 5 3	25 9
5/CFA3/04	104	105	1	1
5/SJA3/38	100	103	3	9
5/SJA3/39	102	103	1	1
5/SJA3/40	104	105	1 5	1
5/SJA3/41	100	105	5	25
5/NPA3/46	104	105	1	, 1
5/NAP3/48	104	105	1	1 1 1
5/NPA3/49	103	104	1	1
5/MLA3/26	102	104	2 1 2	4
5/MLA3/27	103	104	1	1
5/MLA3/28	102	104	2	4
otal	2,813	2,892	79	301
_	-			
$\overline{\mathbf{x}}$	104.2	107.1	2.9	
n = 27			•	100

n = 27

$$s_{-} = \sqrt{\frac{301 - [(79)^{2}/27]}{27(26)}} = .315$$
 $t_{-} = \frac{d}{s_{-}} = \frac{2.9}{.315} = 9.206 ** for 26 df$

(.05)

U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE LIVESTOCK, MEAT, GRAIN & SEED DIVISION PLANT VARIETY PROTECTION OFFICE BELTSVILLE, MARY LAND 20705

EXHIBIT C (Soybean)

OBJECTIVE DESCRIPTION OF VARIETY

SOYBEAN (Glycine max L.)

	,	•
NAME OF APPLICANT(S)	TEMPORARY DESIGNATION	VARIETY NAME
Pioneer Hi-Bred International, Inc.		9361
ADDRESS (Street and No., or R.F.D. No., City, State, and Zip Code 700 Capital Square 400 Locust Street Des Moines, IA 50309	s)	FOR OFFICIAL USE ONLY PVPO NUMBER 8600125
Choose the appropriate response which characterizes the vari	atu in the factures described i	
in your answer is fewer than the number of boxes provided,		
1. SEED SHAPE:	0	· · · · · · · · · · · · · · · · · · ·
1 = Spherical (L/W, L/T, and T/W ratios = < 1.2) 3 = Elongate (L/T ratio > 1.2; T/W = < 1.2)		L/W ratio > 1.2; L/T ratio = < 1.2) L/T ratio > 1.2; T/W > 1.2)
2. SEED COAT COLOR: (Mature Seed)		
1 = Yellow 2 = Green 3 = Brown	4 = 8lack 5 = Other /	Specify)
3. SEED COAT LUSTER: (Mature Hand Shelled Seed)		
1 = Dull ('Corsoy 79'; 'Braxton') 2 = Shiny ('Nebsoy	/'; 'Gasoy 17')	
4. SEED SIZE: (Mature Seed)		
1 7 Grams per 100 seeds		
5. HILUM COLOR: (Mature Seed)		
6 1 = Buff 2 = Yellow 3 = Brown 4	= Gray 5 = Imperfect Black	k 6 = Black 7 = Other (Specify)
6. COTYLEDON COLOR: (Mature Seed)		
1 1 = Yellow 2 = Green		
7. SEED PROTEIN PEROXIDASE ACTIVITY:	·	
1 = Low 2 = High		
8. SEED PROTEIN ELECTROPHORETIC BAND:		
1 = Type A (SP1 ^a) 2 = Type B (SP1 ^b)		
9. HYPOCOTYL COLOR:		
1 = Green only ('Evans'; 'Davis') 2 = Green with to 3 = Light Purple below cotyledons ('Beeson'; 'Pickett 71') 4 = Dark Purple extending to unifoliate leaves ('Hodgson'; 'C	oronze band below cotyledons ('Vooker Hampton 266A')	Voodworth'; 'Tracy')
10. LEAFLET SHAPE:		
2 1 = Lanceolate 2 = Oval 3 = Ovate	4 = Other (Specify)	

11. LEAF	LET SIZE:	
3	1 = Small ('Amsoy 71'; 'A5312') 3 = Large ('Crawford'; 'Tracy')	2 = Medium ('Corsoy 79'; 'Gasoy 17')
·		
12. LEAF	COLOR:	
2	1 = Light Green ('Weber'; 'York') 3 = Dark Green ('Gnome'; 'Tracy')	2 = Medium Green ('Corsoy 79'; 'Braxton')
	·	
13. FLOW	IER COLOR: 1 = White 2 = Purple	3 = White with purple throat
14. POD 0	COLOR:	
1	1 = Tan 2 = Brown	3 = Black
15. PLAN	T PUBESCENCE COLOR:	
2	1 = Gray 2 = Brown (Tawny)	
16. PLAN	T TYPES:	
2	1 = Slender ('Essex'; 'Amsoy 71') 3 = Bushy ('Gnome'; 'Govan')	2 = Intermediate ('Amcor'; 'Braxton')
17. PLANT	F HABIT:	
3	1 = Determinate ('Gnome'; 'Braxton') 3 = Indeterminate ('Nebsoy'; 'Improved Pe	2 = Semi-Determinate ('Will') elican')
18. MATU	RITY GROUP:	
0 6	1 = 000 2 = 00 3 = 0 9 = VI 10 = VII 11 = VIII	4 = I 5 = II 6 = IHI 7 = IV 8 = V I 12 = IX 13 = X
40 DISEA	SE REACTION: (Enter 0 = Not Tested; 1 = 5	Succentible: 2 = Recistant
BACT	FERIAL DISEASES:	RECEIVED
	Bacterial Pustule (Xanthomonas phaseoli va	67
0	Bacterial Blight (Pseudomonas glycinea)	☐ MAY 1 4 1986 ▶ ☐
Го	Wildfire (Pseudomonas tabaci)	Plant V
	AL DISEASES:	Profession Ofc
0	Brown Spot (Septoria glycines)	GATISTITE!
	Frogeye Leaf Spot (Cercospora sojina)	
	Race 1 0 Race 2 0 Ra	ace 3 0 Race 4 0 Race 5 Other (Specify)
0		
ينا	Tärget Spot (Corynespora cassiicola)	
	Tärget Spot (Corynespora cassiicola) Downy Mildew (Peronospora trifoliorum val	r. manshurica)
ے		r. manshurica)
	Downy Mildew (Peronospora trifoliorum va	

19. DISEASE REACT	ION: (Enter 0 = Not Tested; 1 = Susceptible;	2 = Resistant) (Continued)	
FUNGAL DISEA	ASES: (Continued)		8600125
O Pod and S	item Blight <i>(Diaporthe phaseolorum</i> var; <i>sojae)</i>	•	0000125
0 Purple See	ed Stain (Cercospora kikuchii)		
0 Rhizoctor	nia Root Rot <i>(Rhizoctonia solani)</i>		
Phytophth	nora Rot (Phytophthora megasperma var. sojae	<u>, </u>	
0 Race 1	0 Race 2 0 Race 3	Race 4 0 Race 5	0 Race 6 0 Race 7
Race 8	0 Race 9 0 Other (Specify)		
VIRAL DISEASE	es:	•	
0 Bud Blight	(Tobacco Ringspot Virus)		
	saic (Bean Yellow Mosaic Virus)		
	osaic (Cowpea Chlorotic Virus)		
0 Pod Mottle	(Bean Pod Mottle Virus)		
0 Seed Mottle	e (Soybean Mosaic Virus)		
NEMATODE DISI	EASES:		
Soybean Cy	rst Nematode (Heterodera glycines)		
0 Race 1	0 Race 2 1 Race 3 1	Race 4 Other (Specify)
0 Lance Nema	atode (Hoplolaimus Colombus)	_	
0 Southern R	oot Knot Nematode (Meloidogyne incognita)	•	
0 Northern Ro	oot Knot Nematode (Meloidogyne Hapla)		
O Peanut Root	t Knot Nematode (Meloidogyne arenaria)		
	ernatode (Rotylenchulus reniformis)		
OTHER DIS	EASE NOT ON FORM (Specify):		
20. PHYSIOLOGICAL RI	ESPONSES: (Enter 0 = Not Tested; 1 = Susce	ptible; 2 = Resistant)	
lron Chloros	is on Calcareous Soil		
Other (Special	fy1	<u> </u>	
21. INSECT REACTION:	(Enter 0 = Not Tested; 1 = Susceptible; 2 = f	Resistant)	
0 Mexican Bear	n Beetle (Epilachṇa varivestis)		en e
O Potato Leaf H	Hopper (Empoasca fabae)		
Other (Specif	(y) <u></u>	· · · · · · · · · · · · · · · · · · ·	
22. INDICATE WHICH VA	ARIETY MOST CLOSELY RESEMBLES THA	AT SUBMITTED.	
CHARACTER	NAME OF VARIETY	CHARACTER	NAME OF VARIETY
Plant Shape	3981	Seed Coat Luster	Corsoy 79
Leaf Shape	3981	Seed Size	3481
Leaf Color	3981	Seed Shape	3481
Leaf Size	3981	Seedling Pigmentation	3981

23. GIVE DATA FOR SUBMITTED AND SIMILAR STANDARD VARIETY: Paired Comparison Data

VARIETY	NO. OF DAYS	DAYS LODGING	CM PLANT HEIGHT	LEAFLET SIZE		SEED CONTENT		SEED SIZE G/100	NO. SEEDS/
	MATURITY			CM Width	CM Length	% Protein	% Oil	SEEDS	POD
9361 Submitted	104	2.0	87				.,	17.0	
3981 Name of Similar Variety	107	2.1	86					21.0	

PUBLICATIONS USEFUL AS REFERENCE AIDS FOR COMPLETING THIS FORM:

- 1. Caldwell, B.E., ed. 1973. Soybeans: Improvement, Production, and Uses. Amer. Soc. Agron. Monograph No. 16.
- 2. Buttery, B.R. and R.I. Buzzell. 1968. Peroxidase activity in seeds of soybean varieties. Crop Sci., 8: 722-725.
- 3. Hymowitz, T. 1973. Electrophoretic analysis of SBTI-A2 in the USDA soybean germplasm collection. Crop Sci., 13: 420-421.
- 4. Payne, R.C. and L.F. Morris. 1976. Differentiation of soybean cultivars by seedling pigmentation patterns. J. Seed Technol. 1: 1-19.

